L Number	Hits	Search Text	DB	Time stamp
-	2242	(711/170,104,105).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:21
-	1802	((711/170,104,105).CCLS.) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:21
-	4	((memory near3 controller) with (programmable near2 pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:30
-	46	((memory near3 controller) with ((program$5 select$4 configur$5)near2 pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:12
-	46	((memory near3 controller) with ((program$5 select$4 configur$5 change$4)near2 pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:47
-	1262	((memory) with ((program$5 select$4 configur$5 change$4)near2 pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:48
-	6	((memory with buffered) with ((program$5 select$4 configur$5 change$4)near2 pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:02
-	1	((memory with controller) with (((dual multi) near4 (mode functgion)) with pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:00
-	3	((memory with controller) with (((dual multi) near4 (mode function)) with pin))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:02
-	81	((memory with buffered) with ((program$5 select$4 configur$5 change$4)near2 (pin output control)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:03
-	3539	((memory near4 controller) with ((program$5 select$4 configur$5 change$4)near2 (pin output control)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:04
-	1417	((memory near4 controller) with ((program$5 select$4 configur$5 change$4)near2 (pin output line)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:04
-	642	((memory near controller) with ((program$5 select$4 configur$5 change$4)near2 (pin output line)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:04
-	607	((memory near controller) with ((program$5 select$4 configur$5)near2 (pin output line)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:05

-	249	((memory near controller) with ((program$5 select$4 configur$5)near2 (pin line)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:07
-	34	((memory near controller) with ((program$5 select$4 configur$5)near2 (pin)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:08
-	46	((memory near controller) with ((program$5 select$4 configur$5)near2 (pin (control adj line))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:38
-	266	((memory near controller) with ((program$5 select$4 configur$5)near2 (mode pin (control adj line))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:42
-	0	(((memory near controller) with ((program$5 select$4 configur$5)near2 (mode pin (control adj line))))) and bufferd and unbuffered	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:39
-	6	(((memory near controller) with ((program$5 select$4 configur$5)near2 (mode pin (control adj line))))) and buffered and unbuffered	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:39
-	12	((memory near controller) with ((program$5 select$4 configur$5)near2 (control adj (line lead))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:47
-	814	(memory with controller) same ((program$5 select$4 configur$5) with pin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:49
-	142	(memory adj controller) same ((program$5 select$4 configur$5) near4 pin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:52
-	108	((memory adj controller) same ((program$5 select$4 configur$5) near4 pin)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:06
-	66	(((memory adj controller) same ((program$5 select$4 configur$5) near4 pin)) and @ad < "20010828") and (memory with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:06
-	1792	((memory near3 controller) with ((program$5 select$4 configur$5)near2 signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:12
-	977	((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:13
-	809	(((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))) and @ad < "20019828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:14

-	1	((((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))) and @ad < "20019828") and (buffered near4 memory) and (unbuffered near4 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:15
-	1	((((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))) and @ad < "20019828") and (buffered with memory) and (unbuffered with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:15
-	31	((((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))) and @ad < "20019828") and (buffered with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:18
-	340	((((memory adj controller) with ((program$5 select$4 configur$5)near2 signal))) and @ad < "20019828") and (memory near5 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:18
-	3	((US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.) and (((chip adj select) cs) with ((multiplex$2) mux))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:45
-	4	((US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.) and ((clock) with ((multiplex$2) mux))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:56
-	5139	((clock with (cs (chip select))) with ((multiplex$2) mux))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:57
-	483	(memory adj controll$3) and ((clock with (cs (chip select))) with ((multiplex$2) mux)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:58
-	67	(memory adj control$4) same ((clock with (cs (chip select))) with ((multiplex$2) mux)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:59
-	27	(memory adj control$4) same ((clock with (cs (chip adj select))) with ((multiplex$2) mux)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:00

-	27	(memory adj control$4) same ((clock with ("cs" (chip adj select))) with ((multiplex$2) mux)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:00
-	30	(US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.	USPAT; US-PGPUB	2004/05/20 16:03
-	2	((US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.) and (unbuffered)	USPAT; US-PGPUB	2004/05/20 14:48
-	0	((US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.) and (differential near clock)	USPAT; US-PGPUB	2004/05/20 16:21
-	7	(((711/170,104,105).CCLS.) and @ad < "20010828") and (buffered and unbuffered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 16:04
-	3	((((711/170,104,105).CCLS.) and @ad < "20010828") and (buffered and unbuffered)) and differential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 16:04
-	1	((US-5968192-$ or US-6298426-$ or US-5860080-$ or US-5375084-$ or US-5826093-$ or US-6681301-$ or US-6530007-$ or US-6035370-$ or US-5884067-$ or US-6684314-$ or US-6229727-$ or US-5893136-$ or US-5694585-$ or US-5005157-$ or US-6625685-$ or US-6499093-$ or US-6473831-$ or US-5860134-$ or US-5768560-$ or US-5740382-$ or US-5721860-$ or US-5652912-$ or US-5621678-$ or US-5522064-$ or US-5418924-$ or US-5301278-$).did. or (US-5175836-$).did. or (US-20010000822-$ or US-20020147898-$ or US-20010054135-$).did.) and (differential)	USPAT; US-PGPUB	2004/05/20 16:21